

Previous references.

ml (106D) 0703 (159) 1913-14
ml 106N 0703 (154) / (municipal)

File No 295212

Serial Nos. 15719

Later references

ml 131713 8/23
ml 50-13 8882438
ml 571915

GENERAL AND REVENUE SECRETARIAT

Serial Nos. 15719

Part B for July 1913

SUBJECT

Information whether all Engineering questions should be submitted to the Chief Engineer through the Suptg. Engrs

- (15) From the Chairman, Mysore City Dist. Trust Bd No 409 0723-5-13 Referring to Q 0, that he should receive his orders from the Chief Engineer or Engineering questions, solicits instructions as to whether all such questions should be submitted to the Chief Engineer through the Suptg. Engrs
- (19) Q 0 No. 1317-8 0730-7-13 States that the Chairman may correspond direct with the Chief Engineer, who may however delegate the inspection work to the Suptg. Engineer Southern Circle.

Shree 7-12

1912-13

GENERAL AND REVENUE SECRETARIAT.

(Hb.)

NOTES

File No 295-12

FILE HEADING.

Appointment of Mr. G. Lakshman Rao as whole time President of the Mysore City Municipal Council and Chairman of the City Improvement Trust Board.

From

The Chairman, Mysore City Imp. Trust Board
No. 409 Dated 28.5.13 Received 26.5.13

Diary No
7333

Enclos 2 Spare Copies -

Serial No 15

BRIEF ABSTRACT OF LETTER.

Referring to G.O. that he should receive his orders from the Chief Engineer on purely Engineering questions, solicits instructions as to whether all such questions should be submitted to him through the Supty. Engrs as required by the Chief Engineer.

NOTES AND ORDERS.

Submitted for orders under the terms of para 5 of G.O. dated 4th March 1913, the Chairman of the Trust Board seems to be a subordinate of the Chief Engineer on purely engineering questions. If that is the case, it

NOTES—First Sheet.

R. S. 12]

General and Revenue
Secretariat

Mc File No. 295 of 1912

Serial
No

2 paras 20 et seq of
notes in vol 106 of 1903
para 33 in vol 103 of 1903
F. 111

R. S.

seems inevitable that all engineering questions of the Trust Board should go up to the Chief Engineer through the Superintending Engineer of the Circle, in the absence of definite instructions to the contrary. (See para 6 of G.O. of 12th Dec 1911)

2. The Chief Engineer has no locus standi in the City of Mysore under Regn. Engrs. Engrs. have themselves recognized the necessity of securing his opinion on improvement schemes before giving their sanction and have also issued definite instructions about the procedure to be adopted in the submission of such schemes to Govt. These instructions do not however require the Chairman of the Trust Board to receive his orders from the Chief Engineer on engineering questions

Para 50

6 13 3 The Chairman of the Trust Board
4. 6 13 3 is appointed under the Mysore
5 Engrs Regulation The Superintending
The Chief Engineer have no status under
the Regulation & these officers can only
act as advisers to Govt

D. Secy)

24
1912

NOTE—Contn. sheet.

7
13
File No. 295 of 1912Serial
No.

In the order appointing Mr. LaRomaine as Chairman of the Trust Board, Govt said that he should receive orders from the Chief Engineer on purely Engineering questions.

The point now raised is whether he should do so through the Supg Engineer

In para 6 of the G.O. Dated 12th Oct 1911 the Mysore City Improvement Works were included in the charge of the Supg. Engineer. The Chief Eng. now contends that this has still force.

But the later G.O. of 4/3/13 does not recognize it, and implicitly does not contemplate a medium between the Chairman and the Chief Eng. Further, the G.O. of 12/10/11 was passed under different conditions. It is also noteworthy that even the Chief Eng. is an authority outside the Trust Regulation & from the standpoint of liberty of business, and the independence & freedom of the Trust Board it would seem expedient to interpose an intermediary between the Chief Eng. & the Chairman. If once this is done, it will lead to orders being taken from the Supg Eng. also on due course of time, a result quite opposed to the letter & spirit of the G.O. of 4/3/13, changing the Chairman of the Trust Board

2nd Encl. (1)
& 2nd Encl. (2)

Does agree

I think the Chairman ought to be independent of the Supg Engineer

R. S. 12]

General and Revenue
Secretariat.

M File No. *295* of 1912

(4)

Serial
No.

2 Compared direct with the Chief Engineer
for reasons. ~~from~~ of the chairman
which are supported by the records
found in each book.

12/6/13 *Wells*

12/6

3529
13 6 13

NOTE—Contn. sheet.

ML 295-12

5

7333

11

6 Informal consultation with the 2nd

The question is whether the President & Chairman, shd correspond direct with the Chief Engr or thro' the Supr Engr on engineering questions -

5/7/13

7

Chairman
The President may correspond direct with the Engrs who may however delegate the responsibility to the Engrs
Sydney S.C.

ML 295-12

8

Dr. L. J. 12/1

21 7 13

60

1/11/13

Serial
No.

7 Graft subd

26 213 10 2500
2577

19 11 G.O. No. 1317-8 dated 20th July 1913

States that the Chairman may correspond with the Chief Engineer who may however delegate the inspection work to the Deputy Engineer-in-Charge.

SR-109
R. 2

7333
V No.

TO	10 1412 13
FROM	rel
NO.	295-12
DATE	15

11
MYSORE CITY IMPROVEMENT TRUST BOARD
CHAIRMAN'S OFFICE,
Dated, Mysore, 23rd May 1913..

F. G. Lakshmana Rao, Esq., L.C.E.,
Chairman of the Board of Trustees,
Mysore City Improvements

To

K. R. Sreenivasalingar, Esq., B.A.,

Secretary to the Govt of H H the Maharaja
of Mysore, Gen and Rev Departments

Sir,

With reference to para 5 of Government Proceedings
No. 7035-5/ M. 295-12-4 dated the 4th. March 1913, ordering
that on purely Engineering questions, I, as Chairman of the
Trust Board, Mysore, should receive orders from the Chief
Engineer, I have the honour to request the favour of a kind
perusal of Government of the marginally noted correspondence
(copies whereof are enclosed) on the subject and to solicit
instructions as to whether the interpretation of the Chief
Engineer is clear on the matter, now that the Division
attached to the Trust Board under the designation of "the
Mysore City Improvement Division" does no longer exist, the
appointment of the Executive Engineer of the Division having
ceased.

I have the honour to be,

Sir,

Your most obedient servant,

F. G. Lakshmana Rao

Chairman.

mm

Relating to the Superintending Engineer
of the Mysore
No. 3210 dated 16th May 1913 from the
Superintending Engineer to the Chairman

W. S. M.
1913.

From

The CHAIRMAN of the Board of
Trustees for the Improvement
of the City of Mysore.

To

The SECRETARY to the Govt. of
His Highness the Maharaja of
Mysore, Gen and Rev Depts

Dated

Despatched

Received

General No. 409

Enclosures *Two*

} 23rd May 1913

SUBJECT

Forwards copies of correspondence
between the Chairman and the Super-
intending Engineer on the subject of
receiving orders on purely Engineerin
matters connected with the Trust --
Board and solicits further instrus-
tions thereon.

See to vol 295-12/815 (2)

Dated 22nd March 1913.

Letter No 773 from the Chairman, Mysore City Improvement
Trust Board, Mysore, to the Superintending Engineer, Southern
Circle, Bangalore.

+++++

In forwarding herewith a copy of Government Proceedings
No 7035-S Ml 295-12-1 dated the 4th March 1913, I have the
honour to invite your attention to para 5 thereof placing me
under the orders of the Chief Engineer so far as purely --
engineering questions are concerned

"CO₁"

Idurkshman Rao

Chairman

MU

Encl 295-12/8115

Copy of docket No.3334 dated 26th. April 1913, from the Chief Engineer of Mysore, Bangalore, to the Superintending -- Engineer, Southern Circle.

With reference to his letter No.2151 dated the 2nd. Instant, has the honour to state that the Chairman of the Board of Trustees, Mysore, will be informed that para 5 of Government Proceedings No.7035-S/M.295-12-1 dated the 4th. March 1913 should be read along with para 6 of Government Proceedings F.W.No.984-1020/9183-9219 dated the 12th. October 1911, sanctioning the formation of the Southern Circle of Superintendence and that all question relating to Engineering should be submitted to this office -- through the Superintending Engineer of that Circle.

No.3210 dated Bangalore, 16th. May 1913.

Copy of the above is Forwarded to the Chairman, City Improvement Trust Board, Mysore, for information and guidance with reference to his No.773 dated 22nd. March 1913.

(Sd) V.Mangasawny Iyengar,
Superintending Engineer,
Southern Circle.

"Copy"

Ishwaraman

Chairman.

Mus

25/7
[GRS 28]

Subject:- Mode of Correspondence by
the Chairman of the Youth Board on
Engineering questions

25/7

File No 2035-12

Serial No 19

Diary No of letter replied to 7333

GENERAL AND REVENUE
SECRETARIAT
(M.G.)

Proceedings of the Government of His Highness
the Maharaja of Mysore

Of, the 24 7. 1913

READ—

Date of issue 30 7 13

Signed by M. A. V. R.

Letter No. 409 dated the
23rd May 1913 from the Chair-
man, Mysore City Corp. & Youth
Board, soliciting instructions

~~Subject~~ No.

as to whether, under the terms of
para 5 of G.O. No 2035-8
dated the 4th March 1913, the

S

mean that he should submit all engineering
questions to the Chief Engineer

over

SUBJECT

through the Superintending
Engineer, San Juan Circle, as
interpreted by the Chief Engr

930 713

Order No. 1317-B ml 29512-

The Chairman
may correspond direct with
the Chief Engineer who may
however delegate the inspection
work to the Superintending
Engineer San Juan Circle.

for
25th.

To be

5-17

To

The Chairman, Myrtle City
Lumber & Lumber Board
a Chief Engineer of Myrtle

[Signature]

